



GREE GA series PTAC General Product Dimensional and Installation Drawings


Proper building practices must be used when constructing a wall opening to support a PTAC wall sleeve and chassis.
If practices are unknown, consult your local architect or building contractor.
Product dimensions and attributes may change without notice. Contact your Gree Representative for updates.




BACK




TOP



FRONT



SIDE




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	GREE GA SERIES PTAC
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN		
		INTERPRET GEOMETRIC TOLERANCING PER:		CHECKED		SIZE DWG. NO. REV B PTAC-GA=001
		MATERIAL		ENG APPR.		
NEXT ASSY	USED ON	FINISH 10/1/10		MFG APPR.		
APPLICATION		DO NOT SCALE DRAWING		Q.A.		
				COMMENTS:		

8 7 6 5 4 3 2 1


D
C
B
A

D
C
B
A



39.8"
(1011)

FRONT



6.35"
(162)

13.63"
(346)

15 7/8"
(403)


SIDE

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	GREE SERIES PTAC	
		DIMENSIONS ARE IN INCHES		DRAWN		TITLE:	
		TOLERANCES:		CHECKED		GENERAL CHASSIS	
		FRACTIONAL ±		ENG APPR.		DIMENSIONS	
		ANGULAR: MACH ± BEND ±		MFG APPR.		SIZE	DWG. NO.
		TWO PLACE DECIMAL ±		Q.A.		B	PTAC-GA-002
		THREE PLACE DECIMAL ±		COMMENTS:		SCALE: 1:10	WEIGHT:
		INTERPRET GEOMETRIC TOLERANCING PER:					SHEET 2 OF 12
		MATERIAL					
		FINISH					
NEXT ASSY	USED ON	10/1/10					
APPLICATION		DO NOT SCALE DRAWING					


8 7 6 5 4 3 2 1

VOLTAGE	CURRENT	DIMENSIONS---Inches (mm)			PLUGTYPE	
		X	Y	Z	NEMA PLUG	NEMA RECEPTACLE
208/230	15	58 (1473)	2.36 (60)	3.35 (85)	6---15P	6---15R
208/230	20	58 (1473)	2.36 (60)	3.35 (85)	6---20P	6---20R
208/230	30	58 (1473)	2.55 (65)	2.63 (67)	6---30P	6---30R
265	15	15 (381)	1.5 (38.2)	1.46 (37.3)	7---15P	7---15R
265	20	15 (381)	2 (50)	2.48 (63.2)	7---20P	7---20R
265	30	15 (381)	2.41 (61.3)		7---30P	7---30R





PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	GREE GA SERIES PTAC
		DIMENSIONS ARE IN INCHES	DRAWN		
		TOLERANCES:	CHECKED		SIZE DWG. NO. REV B PTAC-GA-003
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
NEXT ASSY	USED ON	FINISH			
APPLICATION		DO NOT SCALE DRAWING			



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:				GREE GA SERIES PTAC	
		DIMENSIONS ARE IN INCHES		DRAWN		TITLE:	
		TOLERANCES:		CHECKED		CRITICAL INSTALLATION	
		FRACTIONAL ±		ENG APPR.		DIMENSIONS	
		ANGULAR: MACH ± BEND ±		MFG APPR.		SIZE	
		TWO PLACE DECIMAL ±		Q.A.		DWG. NO.	
		THREE PLACE DECIMAL ±		COMMENTS:		REV	
		INTERPRET GEOMETRIC TOLERANCING PER:				PTAC-GA-004	
		MATERIAL				SCALE: 1:10	
		FINISH				WEIGHT:	
NEXT ASSY	USED ON	DO NOT SCALE DRAWING				SHEET 4 OF 12	
APPLICATION							






PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:				NAME		DATE	
		DIMENSIONS ARE IN INCHES		DRAWN					
		TOLERANCES:		CHECKED					
		FRACTIONAL ±		ENG APPR.					
		ANGULAR: MACH ± BEND ±		MFG APPR.					
		TWO PLACE DECIMAL ±		Q.A.					
		THREE PLACE DECIMAL ±		COMMENTS:					
		INTERPRET GEOMETRIC TOLERANCING PER:							
		MATERIAL							
		FINISH							
NEXT ASSY	USED ON								
APPLICATION		DO NOT SCALE DRAWING							
								GREE GA SERIEC PTAC	
								TITLE:	
								STANDARD POLYMER WALL SLEEVE DIMENSIONS	
SIZE	DWG. NO.						REV		
B	PTAC-GA-005								
SCALE: 1:5		WEIGHT:				SHEET 5 OF 12			

8 7 6 5 4 3 2 1

D
C
B
A



FRONT

SIDE

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES:			
		FRACTIONAL ±			
		ANGULAR: MACH ± BEND ±			
		TWO PLACE DECIMAL ±			
		THREE PLACE DECIMAL ±			
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
		DO NOT SCALE DRAWING			
NEXT ASSY	USED ON				
APPLICATION					

	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		


GREE GA SERIES PTAC		
TITLE: CHASSIS & STD POLYMER WALL SLEEVE DIMENSIONS 1 OF 2		
SIZE B	DWG. NO. PTAC-GA-006	REV
SCALE: 1:5	WEIGHT:	SHEET 6 OF 12

8 7 6 5 4 3 2 1


8 7 6 5 4 3 2 1

D
C
B
A

D
C
B
A



SIDE





BACK

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE C. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	GREE GA SERIES PTAC TITLE: CHASSIS & AMANA POLYMER WALL SLEEVE DIMENSIONS 2 OF 2
		DIMENSIONS ARE IN INCHES		DRAWN		
		TOLERANCES:		CHECKED		
		FRACTIONAL ±		ENG APPR.		
		ANGULAR: MACH ± BEND ±		MFG APPR.		
		TWO PLACE DECIMAL ±		Q.A.		
		THREE PLACE DECIMAL ±		COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:				
		MATERIAL				
		FINISH				
NEXT ASSY	USED ON					
APPLICATION		DO NOT SCALE DRAWING				
		SIZE		DWG. NO.	REV	
		B		PTAC-GA-007		
		SCALE: 1:10		WEIGHT:	SHEET 7 OF 12	

8 7 6 5 4 3 2 1

FRAMING AND MINIMUM WALL SLEEVE OPENING




PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	GREE GA SERIES PTAC
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN		
		INTERPRET GEOMETRIC TOLERANCING PER:		CHECKED		CONSTRUCTION FRAMING DIMENSIONS
		MATERIAL		ENG APPR.		
		FINISH		MFG APPR.		SIZE
NEXT ASSY	USED ON	DO NOT SCALE DRAWING		Q.A.		DWG. NO.
APPLICATION				COMMENTS:		REV
						SCALE: 1:10 WEIGHT:
						SHEET 8 OF 12

B PTAC-GA-008

SCALE: 1:10 WEIGHT: SHEET 8 OF 12



STAMPED OUTDOOR GRILLE
 Stamped grille thickness 0.75" (19.4)

ARCHITECTURAL GRILLE
 STANDARD MOUNT
 ALUMINUM OR PLASTIC
 Architectural grille
 thickness 1.25" (32)

- NOTES:**
1. Sleeve may be flush mounted to floor, but front panel may have to be notched to accommodate service cord.
 2. If more than 4in. (101.6mm) of sleeve projects into room, an accessory sub base must be used for support.
 3. The sleeve must project at least 1/4" (6.5mm) into room to allow weathertight caulking surface.
 4. Sleeve must over hang exterior wall surface 5/8" (16mm) to assure proper drip edge for drainage and to allow weathertight caulking surface.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	GREE GA SERIES PTAC	
		DIMENSIONS ARE IN INCHES		DRAWN			
		TOLERANCES:		CHECKED		SIZE B DWG. NO. PTAC-GA-009 REV	
		FRACTIONAL ±		ENG APPR.			
		ANGULAR: MACH ± BEND ±		MFG APPR.			
		TWO PLACE DECIMAL ±		Q.A.			
		THREE PLACE DECIMAL ±		COMMENTS:			
		INTERPRET GEOMETRIC TOLERANCING PER:					
		MATERIAL					
		FINISH					
NEXT ASSY	USED ON	APPLICATION		DO NOT SCALE DRAWING			

D
C
B
A

WOOD FRAMING AND DRYWALL

ANCHOR SLEEVE IN WALL OPENING WITH SCREWS OR FASTENERS. DO NOT USE SCREWS IN BOTTOM OF WALL SLEEVE.

RECOMMENDED 5/8" (16mm)


SEE NOTES

NOTES:

1. SLEEVE MAY BE FLUSH MOUNTED TO THE FLOOR, BUT FRONT PANEL MAY HAVE TO BE NOTCHED TO ACCOMODATE SERVICE CORD.
2. IF MORE THAN 4 IN. (101.6MM) OF SLEEVE PROJECTS INTO THE ROOM, AN ACCESSORY SUBBASE MUST BE USED FOR SUPPORT.
3. FOR WALLS 2 IN. (50.8) THICK OR LESS, AN ACCESORY SUB-BASE MUST BE USED FOR SUPPORT.
4. CAULK AROUND SLEEVE ON BOTH INDOOR AND OUTDOOR SIDES.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	GREE GA SERIES PTAC	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN			
		INTERPRET GEOMETRIC TOLERANCING PER:		CHECKED		SIZE DWG. NO. REV B PTAC-GA-010	
		MATERIAL		ENG APPR.			
		FINISH		MFG APPR.			
NEXT ASSY	USED ON	APPLICATION		COMMENTS:			
		DO NOT SCALE DRAWING					




DECORATIVE SUB
BASE SIDE WALL PANEL

SUBBASE

3 1/4"
(82.6mm)
MIN

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
GREE APPLIANCE CO. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	GREE GA SERIES PTAC	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN			
		INTERPRET GEOMETRIC TOLERANCING PER:		CHECKED		SIZE DWG. NO. REV B PTAC-GA-011	
		MATERIAL		ENG APPR.			
NEXT ASSY		USED ON		MFG APPR.		DO NOT SCALE DRAWING	
APPLICATION				Q.A.			
				COMMENTS:			



NOTES:

- CONDENSATE DRAIN TUBE MAY BE USED FOR INTERNAL AND EXTERNAL CONDENSATE DISPOSAL SYSTEMS.
- CONDENSATE DRAIN TUBE SIZE IS 1/2" (12.7mm) O.D.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREE APPLIANCE CO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREE APPLIANCE CO. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	GREE GA SERIES PTAC
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN		
		INTERPRET GEOMETRIC TOLERANCING PER:		ENG APPR.		SIZE DWG. NO. REV B PTAC-GA-012
		MATERIAL		MFG APPR.		
NEXT ASSY	USED ON	FINISH		Q.A.		
APPLICATION		DO NOT SCALE DRAWING		COMMENTS:		